

个人迁移占星报告

一份完整、可追溯到证据的迁居决策报告

Guangzhou, Guangdong 是当前地点组合中的首要参考

Guangzhou, Guangdong • Beijing, Beijing • Shenzhen, Guangdong

目录

10 秒结论	3
证据地图	4
整体地点模式	6
城市深度分析: Hangzhou, Zhejiang	7
城市深度分析: Chengdu, Sichuan	10
城市深度分析: Shenzhen, Guangdong	13
城市深度分析: Beijing, Beijing	16
城市深度分析: Guangzhou, Guangdong	19
五主题对比矩阵	22
主要角度相位线	23
行星 Parans	24
迁移盘与双宫制	25
风险与冲突	26
出生时间敏感度	27
方法说明	28
技术附录	29

10 秒结论

Guangzhou, Guangdong 是当前地点组合中的首要参考

用五个生活主题比较 Hangzhou, Zhejiang, Chengdu, Sichuan, Shenzhen, Guangdong, Beijing, Beijing, Guangzhou, Guangdong，查看地图中的原始证据，并在迁居决定前完成试住问题。

置信度

高置信度由独立证据广度、出生时间稳定性和两种宫制的一致性共同决定。


地点组合

用五个生活主题比较 Hangzhou, Zhejiang, Chengdu, Sichuan, Shenzhen, Guangdong, Beijing, Beijing, Guangzhou, Guangdong，查看地图中的原始证据，并在迁居决定前完成试住问题。

Guangzhou, Guangdong 的机会信号最清晰，但仍需用真实短住验证主要风险。

- 事业与金钱 — 事业与金钱：机会与压力并存
- 爱情与伴侣 — 爱情与伴侣：机会与压力并存
- 家庭与社区 — 家庭与社区：机会与压力并存
- 身心与成长 — 身心状态与成长：机会与压力并存
- 旅行与探索 — 旅行与探索：机会与压力并存

证据地图



用五个生活主题比较 Hangzhou, Zhejiang, Chengdu, Sichuan, Shenzhen, Guangdong, Beijing, Beijing, Guangzhou, Guangdong, 查看地图中的原始证据, 并在迁居决定前完成试住问题。

SAMPLE

整体地点模式


在交付的 5 个地点之间，重复出现的证据显示的是一组可比较的取舍，而不是唯一答案。
在交付的 5 个地点之间，重复出现的证据显示的是一组可比较的取舍，而不是唯一答案。

- angular证据在 5 个地点重复出现。
- paran证据在 5 个地点重复出现。
- relocated_house证据在 5 个地点重复出现。
- 事业与金钱证据在 5 个地点重复出现。
- 爱情与伴侣证据在 5 个地点重复出现。
- 家庭与社区证据在 5 个地点重复出现。
- 身心状态与成长证据在 5 个地点重复出现。
- 旅行与探索证据在 5 个地点重复出现。

地点组合

用五个生活主题比较 Hangzhou, Zhejiang, Chengdu, Sichuan, Shenzhen, Guangdong, Beijing, Beijing, Guangzhou, Guangdong，查看地图中的原始证据，并在迁居决定前完成试住问题。

城市深度分析: Hangzhou, Zhejiang



Hangzhou, Zhejiang: 最突出的方向是事业与金钱

Hangzhou, Zhejiang 的判断来自 20 条可追溯证据，覆盖角线、Parans、迁移宫位、本命背景和出生时间敏感度。

Hangzhou, Zhejiang 最影响决策的证据是：Jupiter-MC 线距离 124 公里。它需要和五主题矩阵一起理解，不能单独当成结果承诺。

Hangzhou, Zhejiang 的主要取舍体现在身心状态与成长；长期迁居前应先验证实际生活感受。

- 事业与金钱 — 事业与金钱：机会与压力并存
- 爱情与伴侣 — 爱情与伴侣：机会与压力并存
- 家庭与社区 — 家庭与社区：机会与压力并存
- 身心与成长 — 身心状态与成长：机会与压力并存
- 旅行与探索 — 旅行与探索：机会与压力并存


迁居决策清单

- 在 Hangzhou, Zhejiang 度过至少一个普通工作周，而不只是周末旅行。
- 在出发前和试住期间持续记录一项与事业与金钱相关的具体变化。
- 新鲜感减弱后，再比较精力、人际、日常节奏和现实限制。
- 在 Hangzhou, Zhejiang 停留 7-14 天时，哪些感受可以重复观察到？
- 哪些感受可能只来自旅行的新鲜感或暂时便利？
- Hangzhou, Zhejiang 的住房、工作、医疗和签证现实条件是否支持日常生活？

- 进入日常节奏数周后，观察到的帮助是否仍然存在？

SAMPLE

城市深度分析: Chengdu, Sichuan



Chengdu, Sichuan: 最突出的方向是旅行与探索

Chengdu, Sichuan 的判断来自 25 条可追溯证据，覆盖角线、Parans、迁移宫位、本命背景和出生时间敏感度。

Chengdu, Sichuan 最影响决策的证据是：Jupiter 本命背景采用 $1.25\times$ 修正。它需要和五主题矩阵一起理解，不能单独当成结果承诺。

Chengdu, Sichuan 的主要取舍体现在爱情与伴侣；长期迁居前应先验证实际生活感受。

- 事业与金钱 — 事业与金钱：机会与压力并存
- 爱情与伴侣 — 爱情与伴侣：机会与压力并存
- 家庭与社区 — 家庭与社区：机会与压力并存
- 身心与成长 — 身心状态与成长：机会与压力并存
- 旅行与探索 — 旅行与探索：有支持但有取舍


迁居决策清单

- 在 Chengdu, Sichuan 度过至少一个普通工作周，而不只是周末旅行。
- 在出发前和试住期间持续记录一项与旅行与探索相关的具体变化。
- 新鲜感减弱后，再比较精力、人际、日常节奏和现实限制。
- 在 Chengdu, Sichuan 停留 7-14 天时，哪些感受可以重复观察到？
- 哪些感受可能只来自旅行的新鲜感或暂时便利？
- Chengdu, Sichuan 的住房、工作、医疗和签证现实条件是否支持日常生活？

- 进入日常节奏数周后，观察到的帮助是否仍然存在？

SAMPLE

城市深度分析: Shenzhen, Guangdong



Shenzhen, Guangdong: 最突出的方向是身心状态与成长

Shenzhen, Guangdong 的判断来自 23 条可追溯证据，覆盖角线、Parans、迁移宫位、本命背景和出生时间敏感度。

Shenzhen, Guangdong 最影响决策的证据是：Uranus-IC 线距离 91.5 公里。它需要和五主题矩阵一起理解，不能单独当成结果承诺。

Shenzhen, Guangdong 的主要取舍体现在爱情与伴侣；长期迁居前应先验证实际生活感受。

- 事业与金钱 — 事业与金钱：机会与压力并存
- 爱情与伴侣 — 爱情与伴侣：机会与压力并存
- 家庭与社区 — 家庭与社区：机会与压力并存
- 身心与成长 — 身心状态与成长：机会与压力并存
- 旅行与探索 — 旅行与探索：机会与压力并存


迁居决策清单

- 在 Shenzhen, Guangdong 度过至少一个普通工作周，而不只是周末旅行。
- 在出发前和试住期间持续记录一项与身心状态与成长相关的具体变化。
- 新鲜感减弱后，再比较精力、人际、日常节奏和现实限制。
- 在 Shenzhen, Guangdong 停留 7-14 天时，哪些感受可以重复观察到？
- 哪些感受可能只来自旅行的新鲜感或暂时便利？
- Shenzhen, Guangdong 的住房、工作、医疗和签证现实条件是否支持日常生活？

- 进入日常节奏数周后，观察到的帮助是否仍然存在？

SAMPLE

城市深度分析: Beijing, Beijing



Beijing, Beijing: 最突出的方向是身心状态与成长

Beijing, Beijing 的判断来自 23 条可追溯证据，覆盖角线、Parans、迁移宫位、本命背景和出生时间敏感度。

Beijing, Beijing 最影响决策的证据是：Mars-DSC 线距离 57.2 公里。它需要和五主题矩阵一起理解，不能单独当成结果承诺。

Beijing, Beijing 的主要取舍体现在爱情与伴侣；长期迁居前应先验证实际生活感受。

- 事业与金钱 — 事业与金钱：机会与压力并存
- 爱情与伴侣 — 爱情与伴侣：机会与压力并存
- 家庭与社区 — 家庭与社区：机会与压力并存
- 身心与成长 — 身心状态与成长：机会与压力并存
- 旅行与探索 — 旅行与探索：机会与压力并存


迁居决策清单

- 在 Beijing, Beijing 度过至少一个普通工作周，而不只是周末旅行。
- 在出发前和试住期间持续记录一项与身心状态与成长相关的具体变化。
- 新鲜感减弱后，再比较精力、人际、日常节奏和现实限制。
- 在 Beijing, Beijing 停留 7-14 天时，哪些感受可以重复观察到？
- 哪些感受可能只来自旅行的新鲜感或暂时便利？
- Beijing, Beijing 的住房、工作、医疗和签证现实条件是否支持日常生活？

- 进入日常节奏数周后，观察到的帮助是否仍然存在？

SAMPLE

城市深度分析: Guangzhou, Guangdong



Guangzhou, Guangdong: 最突出的方向是身心状态与成长

Guangzhou, Guangdong 的判断来自 23 条可追溯证据，覆盖角线、Parans、迁移宫位、本命背景和出生时间敏感度。

Guangzhou, Guangdong 最影响决策的证据是：Uranus-IC 线距离 7.5 公里。它需要和五主题矩阵一起理解，不能单独当成结果承诺。

Guangzhou, Guangdong 的主要取舍体现在家庭与社区；长期迁居前应先验证实际生活感受。

- 事业与金钱 — 事业与金钱：机会与压力并存
- 爱情与伴侣 — 爱情与伴侣：机会与压力并存
- 家庭与社区 — 家庭与社区：机会与压力并存
- 身心与成长 — 身心状态与成长：机会与压力并存
- 旅行与探索 — 旅行与探索：机会与压力并存

迁居决策清单

- 在 Guangzhou, Guangdong 度过至少一个普通工作周，而不只是周末旅行。
- 在出发前和试住期间持续记录一项与身心状态与成长相关的具体变化。
- 新鲜感减弱后，再比较精力、人际、日常节奏和现实限制。
- 在 Guangzhou, Guangdong 停留 7-14 天时，哪些感受可以重复观察到？
- 哪些感受可能只来自旅行的新鲜感或暂时便利？
- Guangzhou, Guangdong 的住房、工作、医疗和签证现实条件是否支持日常生活？

- 进入日常节奏数周后，观察到的帮助是否仍然存在？

SAMPLE

五主题对比矩阵

	事业与金钱	爱情与伴侣	家庭与社区	身心与成长	旅行与探索
Hangzhou, Zhejiang	机会与压力并存	机会与压力并存	机会与压力并存	机会与压力并存	机会与压力并存
Chengdu, Sichuan	机会与压力并存	机会与压力并存	机会与压力并存	机会与压力并存	有支持但有取舍
Shenzhen, Guangdong	机会与压力并存	机会与压力并存	机会与压力并存	机会与压力并存	机会与压力并存
Beijing, Beijing	机会与压力并存	机会与压力并存	机会与压力并存	机会与压力并存	机会与压力并存
Guangzhou, Guangdong	机会与压力并存	机会与压力并存	机会与压力并存	机会与压力并存	机会与压力并存

主要角度相位线

本章包含 5 组证据。

Moon 与 MC 的 120° 相位线距离 300.5 公里，精确残差 2.9°; Venus 与 MC 的 60° 相位线距离 392.3 公里，精确残差 3.81°; Mars 与 MC 的 90° 相位线距离 394.5 公里，精确残差 3.81°

证据引用: evidence:aspect:cn-zhejiang-hangzhou:moon:mc:120:pos, evidence:aspect:cn-zhejiang-hangzhou:venus:mc:60:pos, evidence:aspect:cn-zhejiang-hangzhou:mars:mc:90:pos, evidence:aspect:cn-zhejiang-hangzhou:jupiter:asc:90:pos, evidence:aspect:cn-zhejiang-hangzhou:uranus:asc:90:neg, evidence:aspect:cn-zhejiang-hangzhou:neptune:asc:90:neg, evidence:aspect:cn-zhejiang-hangzhou:pluto:mc:120:neg

Mercury 与 ASC 的 120° 相位线距离 594.7 公里，精确残差 5.39°; Saturn 与 ASC 的 120° 相位线距离 638.5 公里，精确残差 5.79°

证据引用: evidence:aspect:cn-sichuan-chengdu:mercury:asc:120:pos, evidence:aspect:cn-sichuan-chengdu:saturn:asc:120:neg

Moon 与 MC 的 120° 相位线距离 304.3 公里，精确残差 2.74°; Mercury 与 ASC 的 120° 相位线距离 425.8 公里，精确残差 3.83°; Mars 与 MC 的 90° 相位线距离 203.7 公里，精确残差 1.83°

证据引用: evidence:aspect:cn-guangdong-shenzhen:moon:mc:120:pos, evidence:aspect:cn-guangdong-shenzhen:mercury:asc:120:pos, evidence:aspect:cn-guangdong-shenzhen:mars:mc:90:pos, evidence:aspect:cn-guangdong-shenzhen:uranus:asc:90:neg, evidence:aspect:cn-guangdong-shenzhen:neptune:asc:90:neg

Moon 与 MC 的 120° 相位线距离 54.1 公里，精确残差 0.59°; Mercury 与 ASC 的 120° 相位线距离 476.5 公里，精确残差 4.48°; Mars 与 MC 的 90° 相位线距离 29.5 公里，精确残差 0.32°

证据引用: evidence:aspect:cn-beijing-beijing:moon:mc:120:pos, evidence:aspect:cn-beijing-beijing:mercury:asc:120:pos, evidence:aspect:cn-beijing-beijing:mars:mc:90:pos, evidence:aspect:cn-beijing-beijing:uranus:asc:90:neg, evidence:aspect:cn-beijing-beijing:neptune:asc:90:neg, evidence:aspect:cn-beijing-beijing:pluto:mc:120:neg

Moon 与 MC 的 120° 相位线距离 386.7 公里，精确残差 3.49°; Mercury 与 ASC 的 120° 相位线距离 338 公里，精确残差 3.04°; Mars 与 MC 的 90° 相位线距离 286.5 公里，精确残差 2.58°

证据引用: evidence:aspect:cn-guangdong-guangzhou:moon:mc:120:pos, evidence:aspect:cn-guangdong-guangzhou:mercury:asc:120:pos, evidence:aspect:cn-guangdong-guangzhou:mars:mc:90:pos, evidence:aspect:cn-guangdong-guangzhou:uranus:asc:90:neg, evidence:aspect:cn-guangdong-guangzhou:neptune:asc:90:neg

行星 Parans

本章包含 5 组证据。

Mars-ASC / Uranus-MC Paran 残差为 0.383°

证据引用: evidence:paran:cn-zhejiang-hangzhou:mars:asc:uranus:mc

Mars-ASC / Uranus-MC Paran 残差为 0.362°

证据引用: evidence:paran:cn-sichuan-chengdu:mars:asc:uranus:mc

Moon-IC / Mercury-DSC Paran 残差为 0.004°; Mars-ASC / Uranus-MC Paran 残差为 0.801°; Sun-ASC / Moon-MC Paran 残差为 0.949°

证据引用: evidence:paran:cn-guangdong-shenzhen:moon:ic:mercury:dsc, evidence:paran:cn-guangdong-shenzhen:mars:asc:uranus:mc, evidence:paran:cn-guangdong-shenzhen:sun:asc:moon:mc

Mercury-ASC / Pluto-DSC Paran 残差为 0.054°; Mars-ASC / Uranus-MC Paran 残差为 0.239°

证据引用: evidence:paran:cn-beijing-beijing:mercury:asc:pluto:dsc, evidence:paran:cn-beijing-beijing:mars:asc:uranus:mc

Moon-IC / Mercury-DSC Paran 残差为 0.237°; Sun-ASC / Moon-MC Paran 残差为 0.655°; Mars-ASC / Uranus-MC Paran 残差为 0.772°

证据引用: evidence:paran:cn-guangdong-guangzhou:moon:ic:mercury:dsc, evidence:paran:cn-guangdong-guangzhou:sun:asc:moon:mc, evidence:paran:cn-guangdong-guangzhou:mars:asc:uranus:mc

迁移盘与双宫制

本章包含 5 组证据。

Jupiter 在 Placidus 落第 10 宫、Whole Sign 落第 10 宫（两种宫制一致）

证据引用: evidence:house:cn-zhejiang-hangzhou:jupiter

Sun 在 Placidus 落第 9 宫、Whole Sign 落第 10 宫（两种宫制方向一致）；Moon 在 Placidus 落第 6 宫、Whole Sign 落第 7 宫（两种宫制方向一致）；Mercury 在 Placidus 落第 9 宫、Whole Sign 落第 10 宫（两种宫制方向一致）

证据引用: evidence:house:cn-sichuan-chengdu:sun, evidence:house:cn-sichuan-chengdu:moon, evidence:house:cn-sichuan-chengdu:mercury, evidence:house:cn-sichuan-chengdu:venus, evidence:house:cn-sichuan-chengdu:mars, evidence:house:cn-sichuan-chengdu:jupiter, evidence:house:cn-sichuan-chengdu:saturn, evidence:house:cn-sichuan-chengdu:uranus, evidence:house:cn-sichuan-chengdu:neptune, evidence:house:cn-sichuan-chengdu:pluto

Moon 在 Placidus 落第 6 宫、Whole Sign 落第 6 宫（两种宫制一致）；Mars 在 Placidus 落第 7 宫、Whole Sign 落第 7 宫（两种宫制一致）；Jupiter 在 Placidus 落第 10 宫、Whole Sign 落第 10 宫（两种宫制一致）

证据引用: evidence:house:cn-guangdong-shenzhen:moon, evidence:house:cn-guangdong-shenzhen:mars, evidence:house:cn-guangdong-shenzhen:jupiter, evidence:house:cn-guangdong-shenzhen:neptune

Mars 在 Placidus 落第 7 宫、Whole Sign 落第 7 宫（两种宫制一致）；Jupiter 在 Placidus 落第 10 宫、Whole Sign 落第 10 宫（两种宫制一致）；Neptune 在 Placidus 落第 4 宫、Whole Sign 落第 4 宫（两种宫制一致）

证据引用: evidence:house:cn-beijing-beijing:mars, evidence:house:cn-beijing-beijing:jupiter, evidence:house:cn-beijing-beijing:neptune

Moon 在 Placidus 落第 6 宫、Whole Sign 落第 6 宫（两种宫制一致）；Mars 在 Placidus 落第 7 宫、Whole Sign 落第 7 宫（两种宫制一致）；Jupiter 在 Placidus 落第 10 宫、Whole Sign 落第 10 宫（两种宫制一致）

证据引用: evidence:house:cn-guangdong-guangzhou:moon, evidence:house:cn-guangdong-guangzhou:mars, evidence:house:cn-guangdong-guangzhou:jupiter, evidence:house:cn-guangdong-guangzhou:neptune

宫制敏感度

两种宫制的一致程度为两种宫制方向一致。

证据引用: evidence:house:cn-sichuan-chengdu:jupiter, evidence:house:cn-sichuan-chengdu:mars, evidence:house:cn-sichuan-chengdu:mercury, evidence:house:cn-sichuan-chengdu:moon, evidence:house:cn-sichuan-chengdu:neptune, evidence:house:cn-sichuan-chengdu:pluto, evidence:house:cn-sichuan-chengdu:saturn, evidence:house:cn-sichuan-chengdu:sun, evidence:house:cn-sichuan-chengdu:uranus, evidence:house:cn-sichuan-chengdu:venus

风险与冲突

本章包含 5 组证据。

Neptune 与 ASC 的 90° 相位线距离 9.8 公里，精确残差 0.09°; Pluto 与 MC 的 120° 相位线距离 78 公里，精确残差 0.75°; Neptune-IC 线距离 105.3 公里

证据引用: evidence:aspect:cn-zhejiang-hangzhou:neptune:asc:90:neg, evidence:aspect:cn-zhejiang-hangzhou:pluto:mc:120:neg, evidence:acg:cn-zhejiang-hangzhou:neptune:ic, evidence:paran:cn-zhejiang-hangzhou:mars:asc:uranus:mc, evidence:house:cn-zhejiang-hangzhou:jupiter, evidence:acg:cn-zhejiang-hangzhou:mars:dsc

Mercury 与 ASC 的 120° 相位线距离 594.7 公里，精确残差 5.39°; Sun-MC 线距离 620.1 公里; Saturn 与 ASC 的 120° 相位线距离 638.5 公里，精确残差 5.79°

证据引用: evidence:aspect:cn-sichuan-chengdu:mercury:asc:120:pos, evidence:acg:cn-sichuan-chengdu:sun:mc, evidence:aspect:cn-sichuan-chengdu:saturn:asc:120:neg, evidence:paran:cn-sichuan-chengdu:mars:asc:uranus:mc, evidence:house:cn-sichuan-chengdu:pluto, evidence:house:cn-sichuan-chengdu:mars, evidence:house:cn-sichuan-chengdu:neptune, evidence:house:cn-sichuan-chengdu:uranus, evidence:house:cn-sichuan-chengdu:saturn

Mars 与 MC 的 90° 相位线距离 203.7 公里，精确残差 1.83°; Mars-DSC 线距离 201.1 公里; Uranus 与 ASC 的 90° 相位线距离 98 公里，精确残差 0.88°

证据引用: evidence:aspect:cn-guangdong-shenzhen:mars:mc:90:pos, evidence:acg:cn-guangdong-shenzhen:mars:dsc, evidence:aspect:cn-guangdong-shenzhen:uranus:asc:90:neg, evidence:paran:cn-guangdong-shenzhen:moon:ic:mercury:dsc, evidence:paran:cn-guangdong-shenzhen:mars:asc:uranus:mc, evidence:paran:cn-guangdong-shenzhen:sun:asc:moon:mc, evidence:house:cn-guangdong-shenzhen:neptune, evidence:house:cn-guangdong-shenzhen:mars, evidence:house:cn-guangdong-shenzhen:jupiter, evidence:house:cn-guangdong-shenzhen:moon, evidence:acg:cn-guangdong-shenzhen:uranus:ic

Mars 与 MC 的 90° 相位线距离 29.5 公里，精确残差 0.32°; Mars-DSC 线距离 57.2 公里; Neptune-IC 线距离 227.5 公里

证据引用: evidence:aspect:cn-beijing-beijing:mars:mc:90:pos, evidence:acg:cn-beijing-beijing:mars:dsc, evidence:acg:cn-beijing-beijing:neptune:ic, evidence:paran:cn-beijing-beijing:mars:asc:uranus:mc, evidence:paran:cn-beijing-beijing:mercury:asc:pluto:dsc, evidence:house:cn-beijing-beijing:neptune, evidence:house:cn-beijing-beijing:mars, evidence:house:cn-beijing-beijing:jupiter, evidence:acg:cn-beijing-beijing:uranus:ic, evidence:aspect:cn-beijing-beijing:uranus:asc:90:neg

Mars 与 MC 的 90° 相位线距离 286.5 公里，精确残差 2.58°; Uranus 与 ASC 的 90° 相位线距离 10.2 公里，精确残差 0.09°; Mars-DSC 线距离 286.9 公里

证据引用: evidence:aspect:cn-guangdong-guangzhou:mars:mc:90:pos, evidence:aspect:cn-guangdong-guangzhou:uranus:asc:90:neg, evidence:acg:cn-guangdong-guangzhou:mars:dsc, evidence:paran:cn-guangdong-guangzhou:moon:ic:mercury:dsc, evidence:paran:cn-guangdong-guangzhou:mars:asc:uranus:mc, evidence:paran:cn-guangdong-guangzhou:sun:asc:moon:mc, evidence:house:cn-guangdong-guangzhou:mars, evidence:house:cn-guangdong-guangzhou:neptune, evidence:house:cn-guangdong-guangzhou:moon, evidence:acg:cn-guangdong-guangzhou:uranus:ic, evidence:house:cn-guangdong-guangzhou:jupiter

出生时间敏感度

出生时间敏感度为高度敏感。

出生时间敏感度为高度敏感。

证据引用: evidence:sensitivity:cn-zhejiang-hangzhou, evidence:sensitivity:cn-sichuan-chengdu, evidence:sensitivity:cn-guangdong-shenzhen, evidence:sensitivity:cn-beijing-beijing, evidence:sensitivity:cn-guangdong-guangzhou

迁居决策清单

- 在 Hangzhou, Zhejiang 试住时，事业与金钱 出现了什么可观察的变化？

证据引用: evidence:acg:cn-zhejiang-hangzhou:jupiter:mc, evidence:aspect:cn-zhejiang-hangzhou:pluto:mc:120:neg, evidence:aspect:cn-zhejiang-hangzhou:jupiter:asc:90:pos, evidence:paran:cn-zhejiang-hangzhou:mars:asc:uranus:mc, evidence:house:cn-zhejiang-hangzhou:jupiter, evidence:aspect:cn-zhejiang-hangzhou:neptune:asc:90:neg, evidence:acg:cn-zhejiang-hangzhou:neptune:ic

- 在 Guangzhou, Guangdong 试住时，爱情与伴侣 出现了什么可观察的变化？

证据引用: evidence:acg:cn-guangdong-guangzhou:uranus:ic, evidence:acg:cn-guangdong-guangzhou:mars:dsc, evidence:aspect:cn-guangdong-guangzhou:uranus:asc:90:neg, evidence:paran:cn-guangdong-guangzhou:moon:ic:mercury:dsc, evidence:paran:cn-guangdong-guangzhou:sun:asc:moon:mc, evidence:paran:cn-guangdong-guangzhou:mars:asc:uranus:mc, evidence:house:cn-guangdong-guangzhou:moon, evidence:house:cn-guangdong-guangzhou:neptune, evidence:house:cn-guangdong-guangzhou:mars

- 在 Shenzhen, Guangdong 试住时，家庭与社区 出现了什么可观察的变化？

证据引用: evidence:aspect:cn-guangdong-shenzhen:moon:mc:120:pos, evidence:acg:cn-guangdong-shenzhen:uranus:ic, evidence:acg:cn-guangdong-shenzhen:mars:dsc, evidence:paran:cn-guangdong-shenzhen:moon:ic:mercury:dsc, evidence:paran:cn-guangdong-shenzhen:mars:asc:uranus:mc, evidence:paran:cn-guangdong-shenzhen:sun:asc:moon:mc, evidence:house:cn-guangdong-shenzhen:moon, evidence:house:cn-guangdong-shenzhen:neptune, evidence:house:cn-guangdong-shenzhen:jupiter, evidence:aspect:cn-guangdong-shenzhen:uranus:asc:90:neg, evidence:house:cn-guangdong-shenzhen:mars

- 在 Guangzhou, Guangdong 试住时，身心状态与成长 出现了什么可观察的变化？

证据引用: evidence:acg:cn-guangdong-guangzhou:uranus:ic, evidence:aspect:cn-guangdong-guangzhou:uranus:asc:90:neg, evidence:acg:cn-guangdong-guangzhou:mars:dsc, evidence:paran:cn-guangdong-guangzhou:moon:ic:mercury:dsc, evidence:paran:cn-guangdong-guangzhou:sun:asc:moon:mc, evidence:paran:cn-guangdong-guangzhou:mars:asc:uranus:mc, evidence:house:cn-guangdong-guangzhou:neptune, evidence:house:cn-guangdong-guangzhou:jupiter, evidence:house:cn-guangdong-guangzhou:moon, evidence:house:cn-guangdong-guangzhou:mars

- 在 Guangzhou, Guangdong 试住时，旅行与探索 出现了什么可观察的变化？

证据引用: evidence:aspect:cn-guangdong-guangzhou:uranus:asc:90:neg, evidence:acg:cn-guangdong-guangzhou:uranus:ic, evidence:acg:cn-guangdong-guangzhou:mars:dsc, evidence:paran:cn-guangdong-guangzhou:moon:ic:mercury:dsc, evidence:paran:cn-guangdong-guangzhou:sun:asc:moon:mc, evidence:paran:cn-guangdong-guangzhou:mars:asc:uranus:mc, evidence:house:cn-guangdong-guangzhou:jupiter, evidence:house:cn-guangdong-guangzhou:mars, evidence:house:cn-guangdong-guangzhou:neptune, evidence:aspect:cn-guangdong-guangzhou:mars:mc:90:pos

方法说明

全部结论来自同一套 Swiss Ephemeris 规范计算，并同时纳入普通 ACG 四角线、60/90/120 角度相位线、行星 Parans、Placidus 与 Whole Sign 迁移盘、本命修饰和 ± 5 分钟敏感度；同一事实不会因多处展示而重复加权。

- 底图使用 Natural Earth 制作
- GeoNames 数据采用 CC BY 4.0 授权
- 使用 Swiss Ephemeris 计算

方法限制

- 占星是辅助决策的解释工具，不是确定性预测。
- 报告底图边界经过缩略处理，不能作为法定边界依据。
- 部分结论在出生时间 ± 5 分钟测试中会变化，应降低权重。

SAMPLE

技术附录

reportId: 22222222-2222-4222-8222-222222222222

evidence SHA-256: dfc607fb6a1b1da25dae79ab5e8d8f103d68012c2160a84e71f672aac3096384

calculation=calculation-v2-sweph-1 • candidateDataset=candidate-dataset-v1 • candidateRouting=candidate-routing-v2-1 • evidence=evidence-v2-1 • houseSystemProfile=house-system-v2-1 • interpretation=interpretation-v2-1 • report=personal-astrocartography-report-v2 • reportContract=location-report-contract-v2-1 • scoring=scoring-v2-calibrated-1

占星符号表

☉ Sun ☾ Moon ☿ Mercury ♀ Venus ♂ Mars ♃ Jupiter ♄ Saturn ♅ Uranus ♆ Neptune ♇ Pluto

证据引用

- Hangzhou, Zhejiang • astro_line • strength 0.473 • Mars-DSC, 355.9 km • evidence:acg:cn-zhejiang-hangzhou:mars:dsc • fact factgroup:acg:cn-zhejiang-hangzhou:mars:dsc
- Hangzhou, Zhejiang • astro_line • strength 1.000 • Jupiter-MC, 124.0 km • evidence:acg:cn-zhejiang-hangzhou:jupiter:mc • fact factgroup:acg:cn-zhejiang-hangzhou:jupiter:mc
- Hangzhou, Zhejiang • astro_line • strength 1.000 • Neptune-IC, 105.3 km • evidence:acg:cn-zhejiang-hangzhou:neptune:ic • fact factgroup:acg:cn-zhejiang-hangzhou:neptune:ic
- Hangzhou, Zhejiang • angular_aspect_line • strength 0.632 • Moon 120° MC, residual 2.900° • evidence:aspect:cn-zhejiang-hangzhou:moon:mc:120:pos • fact factgroup:aspect:cn-zhejiang-hangzhou:moon:mc:120:pos
- Hangzhou, Zhejiang • angular_aspect_line • strength 0.406 • Venus 60° MC, residual 3.807° • evidence:aspect:cn-zhejiang-hangzhou:venus:mc:60:pos • fact factgroup:aspect:cn-zhejiang-hangzhou:venus:mc:60:pos
- Hangzhou, Zhejiang • angular_aspect_line • strength 0.375 • Mars 90° MC, residual 3.806° • evidence:aspect:cn-zhejiang-hangzhou:mars:mc:90:pos • fact factgroup:aspect:cn-zhejiang-hangzhou:mars:mc:90:pos
- Hangzhou, Zhejiang • angular_aspect_line • strength 0.906 • Jupiter 90° ASC, residual 2.019° • evidence:aspect:cn-zhejiang-hangzhou:jupiter:asc:90:pos • fact factgroup:aspect:cn-zhejiang-hangzhou:jupiter:asc:90:pos
- Hangzhou, Zhejiang • angular_aspect_line • strength 0.004 • Uranus 90° ASC, residual 5.637° • evidence:aspect:cn-zhejiang-hangzhou:uranus:asc:90:neg • fact factgroup:aspect:cn-zhejiang-hangzhou:uranus:asc:90:neg
- Hangzhou, Zhejiang • angular_aspect_line • strength 1.000 • Neptune 90° ASC, residual 0.088° • evidence:aspect:cn-zhejiang-hangzhou:neptune:asc:90:neg • fact factgroup:aspect:cn-zhejiang-hangzhou:neptune:asc:90:neg
- Hangzhou, Zhejiang • angular_aspect_line • strength 1.000 • Pluto 120° MC, residual 0.755° • evidence:aspect:cn-zhejiang-hangzhou:pluto:mc:120:neg • fact factgroup:aspect:cn-zhejiang-hangzhou:pluto:mc:120:neg
- Hangzhou, Zhejiang • paran • strength 0.753 • Mars-ASC/Uranus-MC, residual 0.383° • evidence:paran:cn-zhejiang-hangzhou:mars:asc:uranus:mc • fact factgroup:paran:cn-zhejiang-hangzhou:mars:asc:uranus:mc
- Hangzhou, Zhejiang • relocated_house • strength 0.809 • Jupiter, Placidus 10, Whole Sign 10 • evidence:house:cn-zhejiang-hangzhou:jupiter • fact factgroup:house:cn-zhejiang-hangzhou:jupiter:9-10:10-10
- Hangzhou, Zhejiang • natal_modifier • strength 1.000 • Moon, modifier 1.15× • evidence:natal:cn-zhejiang-hangzhou:moon • fact factgroup:natal:cn-zhejiang-hangzhou:moon
- Hangzhou, Zhejiang • natal_modifier • strength 1.000 • Venus, modifier 1.20× • evidence:natal:cn-zhejiang-hangzhou:venus • fact factgroup:natal:cn-zhejiang-hangzhou:venus
- Hangzhou, Zhejiang • natal_modifier • strength 1.000 • Mars, modifier 1.12× • evidence:natal:cn-zhejiang-hangzhou:mars • fact factgroup:natal:cn-zhejiang-hangzhou:mars
- Hangzhou, Zhejiang • natal_modifier • strength 1.000 • Jupiter, modifier 1.25× • evidence:natal:cn-zhejiang-hangzhou:jupiter • fact factgroup:natal:cn-zhejiang-hangzhou:jupiter

- Hangzhou, Zhejiang • natal_modifier • strength 1.000 • Uranus, modifier 1.12× • evidence:natal:cn-zhejiang-hangzhou:uranus • fact factgroup:natal:cn-zhejiang-hangzhou:uranus
- Hangzhou, Zhejiang • natal_modifier • strength 1.000 • Neptune, modifier 1.25× • evidence:natal:cn-zhejiang-hangzhou:neptune • fact factgroup:natal:cn-zhejiang-hangzhou:neptune
- Hangzhou, Zhejiang • natal_modifier • strength 1.000 • Pluto, modifier 1.25× • evidence:natal:cn-zhejiang-hangzhou:pluto • fact factgroup:natal:cn-zhejiang-hangzhou:pluto
- Hangzhou, Zhejiang • sensitivity • strength 1.000 • ±5 min, 5 changed fact groups • evidence:sensitivity:cn-zhejiang-hangzhou • fact factgroup:sensitivity:cn-zhejiang-hangzhou
- Chengdu, Sichuan • astro_line • strength 0.004 • Sun-MC, 620.1 km • evidence:acg:cn-sichuan-chengdu:sun:mc • fact factgroup:acg:cn-sichuan-chengdu:sun:mc
- Chengdu, Sichuan • angular_aspect_line • strength 0.015 • Mercury 120° ASC, residual 5.391° • evidence:aspect:cn-sichuan-chengdu:mercury:asc:120:pos • fact factgroup:aspect:cn-sichuan-chengdu:mercury:asc:120:pos
- Chengdu, Sichuan • angular_aspect_line • strength 0.000 • Saturn 120° ASC, residual 5.789° • evidence:aspect:cn-sichuan-chengdu:saturn:asc:120:neg • fact factgroup:aspect:cn-sichuan-chengdu:saturn:asc:120:neg
- Chengdu, Sichuan • paran • strength 0.787 • Mars-ASC/Uranus-MC, residual 0.362° • evidence:paran:cn-sichuan-chengdu:mars:asc:uranus:mc • fact factgroup:paran:cn-sichuan-chengdu:mars:asc:uranus:mc
- Chengdu, Sichuan • relocated_house • strength 0.707 • Sun, Placidus 9, Whole Sign 10 • evidence:house:cn-sichuan-chengdu:sun • fact factgroup:house:cn-sichuan-chengdu:sun:9-9:9-10
- Chengdu, Sichuan • relocated_house • strength 0.811 • Moon, Placidus 6, Whole Sign 7 • evidence:house:cn-sichuan-chengdu:moon • fact factgroup:house:cn-sichuan-chengdu:moon:5-6:6-7
- Chengdu, Sichuan • relocated_house • strength 0.728 • Mercury, Placidus 9, Whole Sign 10 • evidence:house:cn-sichuan-chengdu:mercury • fact factgroup:house:cn-sichuan-chengdu:mercury:8-9:9-10
- Chengdu, Sichuan • relocated_house • strength 0.846 • Venus, Placidus 8, Whole Sign 9 • evidence:house:cn-sichuan-chengdu:venus • fact factgroup:house:cn-sichuan-chengdu:venus:8-8:8-9
- Chengdu, Sichuan • relocated_house • strength 0.793 • Mars, Placidus 7, Whole Sign 8 • evidence:house:cn-sichuan-chengdu:mars • fact factgroup:house:cn-sichuan-chengdu:mars:6-7:7-8
- Chengdu, Sichuan • relocated_house • strength 0.767 • Jupiter, Placidus 10, Whole Sign 11 • evidence:house:cn-sichuan-chengdu:jupiter • fact factgroup:house:cn-sichuan-chengdu:jupiter:9-10:10-11
- Chengdu, Sichuan • relocated_house • strength 0.728 • Saturn, Placidus 4, Whole Sign 5 • evidence:house:cn-sichuan-chengdu:saturn • fact factgroup:house:cn-sichuan-chengdu:saturn:4-4:4-5
- Chengdu, Sichuan • relocated_house • strength 0.791 • Uranus, Placidus 4, Whole Sign 5 • evidence:house:cn-sichuan-chengdu:uranus • fact factgroup:house:cn-sichuan-chengdu:uranus:3-4:4-5
- Chengdu, Sichuan • relocated_house • strength 0.883 • Neptune, Placidus 4, Whole Sign 5 • evidence:house:cn-sichuan-chengdu:neptune • fact factgroup:house:cn-sichuan-chengdu:neptune:3-4:4-5
- Chengdu, Sichuan • relocated_house • strength 0.883 • Pluto, Placidus 2, Whole Sign 3 • evidence:house:cn-sichuan-chengdu:pluto • fact factgroup:house:cn-sichuan-chengdu:pluto:2-2:2-3
- Chengdu, Sichuan • natal_modifier • strength 1.000 • Sun, modifier 1.00× • evidence:natal:cn-sichuan-chengdu:sun • fact factgroup:natal:cn-sichuan-chengdu:sun
- Chengdu, Sichuan • natal_modifier • strength 1.000 • Moon, modifier 1.15× • evidence:natal:cn-sichuan-chengdu:moon • fact factgroup:natal:cn-sichuan-chengdu:moon
- Chengdu, Sichuan • natal_modifier • strength 1.000 • Mercury, modifier 1.03× • evidence:natal:cn-sichuan-chengdu:mercury • fact factgroup:natal:cn-sichuan-chengdu:mercury
- Chengdu, Sichuan • natal_modifier • strength 1.000 • Venus, modifier 1.20× • evidence:natal:cn-sichuan-chengdu:venus • fact factgroup:natal:cn-sichuan-chengdu:venus
- Chengdu, Sichuan • natal_modifier • strength 1.000 • Mars, modifier 1.12× • evidence:natal:cn-sichuan-chengdu:mars • fact factgroup:natal:cn-sichuan-chengdu:mars
- Chengdu, Sichuan • natal_modifier • strength 1.000 • Jupiter, modifier 1.25× • evidence:natal:cn-sichuan-chengdu:jupiter • fact factgroup:natal:cn-sichuan-chengdu:jupiter
- Chengdu, Sichuan • natal_modifier • strength 1.000 • Saturn, modifier 1.03× • evidence:natal:cn-sichuan-chengdu:saturn • fact factgroup:natal:cn-sichuan-chengdu:saturn

- Chengdu, Sichuan • natal_modifier • strength 1.000 • Uranus, modifier 1.12× • evidence:natal:cn-sichuan-chengdu:uranus • fact factgroup:natal:cn-sichuan-chengdu:uranus
- Chengdu, Sichuan • natal_modifier • strength 1.000 • Neptune, modifier 1.25× • evidence:natal:cn-sichuan-chengdu:neptune • fact factgroup:natal:cn-sichuan-chengdu:neptune
- Chengdu, Sichuan • natal_modifier • strength 1.000 • Pluto, modifier 1.25× • evidence:natal:cn-sichuan-chengdu:pluto • fact factgroup:natal:cn-sichuan-chengdu:pluto
- Chengdu, Sichuan • sensitivity • strength 1.000 • ±5 min, 22 changed fact groups • evidence:sensitivity:cn-sichuan-chengdu • fact factgroup:sensitivity:cn-sichuan-chengdu
- Shenzhen, Guangdong • astro_line • strength 0.862 • Mars-DSC, 201.1 km • evidence:acg:cn-guangdong-shenzhen:mars:dsc • fact factgroup:acg:cn-guangdong-shenzhen:mars:dsc
- Shenzhen, Guangdong • astro_line • strength 1.000 • Uranus-IC, 91.5 km • evidence:acg:cn-guangdong-shenzhen:uranus:ic • fact factgroup:acg:cn-guangdong-shenzhen:uranus:ic
- Shenzhen, Guangdong • astro_line • strength 0.134 • Neptune-IC, 513.0 km • evidence:acg:cn-guangdong-shenzhen:neptune:ic • fact factgroup:acg:cn-guangdong-shenzhen:neptune:ic
- Shenzhen, Guangdong • angular_aspect_line • strength 0.621 • Moon 120° MC, residual 2.735° • evidence:aspect:cn-guangdong-shenzhen:moon:mc:120:pos • fact factgroup:aspect:cn-guangdong-shenzhen:moon:mc:120:pos
- Shenzhen, Guangdong • angular_aspect_line • strength 0.275 • Mercury 120° ASC, residual 3.829° • evidence:aspect:cn-guangdong-shenzhen:mercury:asc:120:pos • fact factgroup:aspect:cn-guangdong-shenzhen:mercury:asc:120:pos
- Shenzhen, Guangdong • angular_aspect_line • strength 0.857 • Mars 90° MC, residual 1.830° • evidence:aspect:cn-guangdong-shenzhen:mars:mc:90:pos • fact factgroup:aspect:cn-guangdong-shenzhen:mars:mc:90:pos
- Shenzhen, Guangdong • angular_aspect_line • strength 1.000 • Uranus 90° ASC, residual 0.881° • evidence:aspect:cn-guangdong-shenzhen:uranus:asc:90:neg • fact factgroup:aspect:cn-guangdong-shenzhen:uranus:asc:90:neg
- Shenzhen, Guangdong • angular_aspect_line • strength 0.109 • Neptune 90° ASC, residual 4.667° • evidence:aspect:cn-guangdong-shenzhen:neptune:asc:90:neg • fact factgroup:aspect:cn-guangdong-shenzhen:neptune:asc:90:neg
- Shenzhen, Guangdong • paran • strength 1.000 • Moon-IC/Mercury-DSC, residual 0.004° • evidence:paran:cn-guangdong-shenzhen:moon:ic:mercury:dsc • fact factgroup:paran:cn-guangdong-shenzhen:moon:ic:mercury:dsc
- Shenzhen, Guangdong • paran • strength 0.116 • Mars-ASC/Uranus-MC, residual 0.801° • evidence:paran:cn-guangdong-shenzhen:mars:asc:uranus:mc • fact factgroup:paran:cn-guangdong-shenzhen:mars:asc:uranus:mc
- Shenzhen, Guangdong • paran • strength 0.008 • Sun-ASC/Moon-MC, residual 0.949° • evidence:paran:cn-guangdong-shenzhen:sun:asc:moon:mc • fact factgroup:paran:cn-guangdong-shenzhen:sun:asc:moon:mc
- Shenzhen, Guangdong • relocated_house • strength 0.752 • Moon, Placidus 6, Whole Sign 6 • evidence:house:cn-guangdong-shenzhen:moon • fact factgroup:house:cn-guangdong-shenzhen:moon:5-6:6-6
- Shenzhen, Guangdong • relocated_house • strength 0.870 • Mars, Placidus 7, Whole Sign 7 • evidence:house:cn-guangdong-shenzhen:mars • fact factgroup:house:cn-guangdong-shenzhen:mars:6-7:7-7
- Shenzhen, Guangdong • relocated_house • strength 1.000 • Jupiter, Placidus 10, Whole Sign 10 • evidence:house:cn-guangdong-shenzhen:jupiter • fact factgroup:house:cn-guangdong-shenzhen:jupiter:9-10:10-10
- Shenzhen, Guangdong • relocated_house • strength 1.000 • Neptune, Placidus 4, Whole Sign 4 • evidence:house:cn-guangdong-shenzhen:neptune • fact factgroup:house:cn-guangdong-shenzhen:neptune:3-4:4-4
- Shenzhen, Guangdong • natal_modifier • strength 1.000 • Sun, modifier 1.00× • evidence:natal:cn-guangdong-shenzhen:sun • fact factgroup:natal:cn-guangdong-shenzhen:sun
- Shenzhen, Guangdong • natal_modifier • strength 1.000 • Moon, modifier 1.15× • evidence:natal:cn-guangdong-shenzhen:moon • fact factgroup:natal:cn-guangdong-shenzhen:moon
- Shenzhen, Guangdong • natal_modifier • strength 1.000 • Mercury, modifier 1.03× • evidence:natal:cn-guangdong-shenzhen:mercury • fact factgroup:natal:cn-guangdong-shenzhen:mercury
- Shenzhen, Guangdong • natal_modifier • strength 1.000 • Mars, modifier 1.12× • evidence:natal:cn-guangdong-shenzhen:mars • fact factgroup:natal:cn-guangdong-shenzhen:mars
- Shenzhen, Guangdong • natal_modifier • strength 1.000 • Jupiter, modifier 1.25× • evidence:natal:cn-guangdong-shenzhen:jupiter • fact factgroup:natal:cn-guangdong-shenzhen:jupiter
- Shenzhen, Guangdong • natal_modifier • strength 1.000 • Uranus, modifier 1.12× • evidence:natal:cn-guangdong-shenzhen:uranus • fact factgroup:natal:cn-guangdong-shenzhen:uranus

- Shenzhen, Guangdong • natal_modifier • strength 1.000 • Neptune, modifier 1.25× • evidence:natal:cn-guangdong-shenzhen:neptune • fact factgroup:natal:cn-guangdong-shenzhen:neptune
- Shenzhen, Guangdong • sensitivity • strength 1.000 • ±5 min, 8 changed fact groups • evidence:sensitivity:cn-guangdong-shenzhen • fact factgroup:sensitivity:cn-guangdong-shenzhen
- Beijing, Beijing • astro_line • strength 1.000 • Mars-DSC, 57.2 km • evidence:acg:cn-beijing-beijing:mars:dsc • fact factgroup:acg:cn-beijing-beijing:mars:dsc
- Beijing, Beijing • astro_line • strength 0.320 • Jupiter-MC, 431.0 km • evidence:acg:cn-beijing-beijing:jupiter:mc • fact factgroup:acg:cn-beijing-beijing:jupiter:mc
- Beijing, Beijing • astro_line • strength 0.683 • Uranus-IC, 274.6 km • evidence:acg:cn-beijing-beijing:uranus:ic • fact factgroup:acg:cn-beijing-beijing:uranus:ic
- Beijing, Beijing • astro_line • strength 0.892 • Neptune-IC, 227.5 km • evidence:acg:cn-beijing-beijing:neptune:ic • fact factgroup:acg:cn-beijing-beijing:neptune:ic
- Beijing, Beijing • angular_aspect_line • strength 1.000 • Moon 120° MC, residual 0.586° • evidence:aspect:cn-beijing-beijing:moon:mc:120:pos • fact factgroup:aspect:cn-beijing-beijing:moon:mc:120:pos
- Beijing, Beijing • angular_aspect_line • strength 0.173 • Mercury 120° ASC, residual 4.479° • evidence:aspect:cn-beijing-beijing:mercury:asc:120:pos • fact factgroup:aspect:cn-beijing-beijing:mercury:asc:120:pos
- Beijing, Beijing • angular_aspect_line • strength 1.000 • Mars 90° MC, residual 0.319° • evidence:aspect:cn-beijing-beijing:mars:mc:90:pos • fact factgroup:aspect:cn-beijing-beijing:mars:mc:90:pos
- Beijing, Beijing • angular_aspect_line • strength 0.941 • Uranus 90° ASC, residual 1.531° • evidence:aspect:cn-beijing-beijing:uranus:asc:90:neg • fact factgroup:aspect:cn-beijing-beijing:uranus:asc:90:neg
- Beijing, Beijing • angular_aspect_line • strength 0.329 • Neptune 90° ASC, residual 4.017° • evidence:aspect:cn-beijing-beijing:neptune:asc:90:neg • fact factgroup:aspect:cn-beijing-beijing:neptune:asc:90:neg
- Beijing, Beijing • angular_aspect_line • strength 0.429 • Pluto 120° MC, residual 4.241° • evidence:aspect:cn-beijing-beijing:pluto:mc:120:neg • fact factgroup:aspect:cn-beijing-beijing:pluto:mc:120:neg
- Beijing, Beijing • paran • strength 1.000 • Mercury-ASC/Pluto-DSC, residual 0.054° • evidence:paran:cn-beijing-beijing:mercury:asc:pluto:dsc • fact factgroup:paran:cn-beijing-beijing:mercury:asc:pluto:dsc
- Beijing, Beijing • paran • strength 0.959 • Mars-ASC/Uranus-MC, residual 0.239° • evidence:paran:cn-beijing-beijing:mars:asc:uranus:mc • fact factgroup:paran:cn-beijing-beijing:mars:asc:uranus:mc
- Beijing, Beijing • relocated_house • strength 0.724 • Mars, Placidus 7, Whole Sign 7 • evidence:house:cn-beijing-beijing:mars • fact factgroup:house:cn-beijing-beijing:mars:6-7:7-7
- Beijing, Beijing • relocated_house • strength 1.000 • Jupiter, Placidus 10, Whole Sign 10 • evidence:house:cn-beijing-beijing:jupiter • fact factgroup:house:cn-beijing-beijing:jupiter:9-10:10-10
- Beijing, Beijing • relocated_house • strength 1.000 • Neptune, Placidus 4, Whole Sign 4 • evidence:house:cn-beijing-beijing:neptune • fact factgroup:house:cn-beijing-beijing:neptune:3-4:4-4
- Beijing, Beijing • natal_modifier • strength 1.000 • Moon, modifier 1.15× • evidence:natal:cn-beijing-beijing:moon • fact factgroup:natal:cn-beijing-beijing:moon
- Beijing, Beijing • natal_modifier • strength 1.000 • Mercury, modifier 1.03× • evidence:natal:cn-beijing-beijing:mercury • fact factgroup:natal:cn-beijing-beijing:mercury
- Beijing, Beijing • natal_modifier • strength 1.000 • Mars, modifier 1.12× • evidence:natal:cn-beijing-beijing:mars • fact factgroup:natal:cn-beijing-beijing:mars
- Beijing, Beijing • natal_modifier • strength 1.000 • Jupiter, modifier 1.25× • evidence:natal:cn-beijing-beijing:jupiter • fact factgroup:natal:cn-beijing-beijing:jupiter
- Beijing, Beijing • natal_modifier • strength 1.000 • Uranus, modifier 1.12× • evidence:natal:cn-beijing-beijing:uranus • fact factgroup:natal:cn-beijing-beijing:uranus
- Beijing, Beijing • natal_modifier • strength 1.000 • Neptune, modifier 1.25× • evidence:natal:cn-beijing-beijing:neptune • fact factgroup:natal:cn-beijing-beijing:neptune
- Beijing, Beijing • natal_modifier • strength 1.000 • Pluto, modifier 1.25× • evidence:natal:cn-beijing-beijing:pluto • fact factgroup:natal:cn-beijing-beijing:pluto
- Beijing, Beijing • sensitivity • strength 1.000 • ±5 min, 5 changed fact groups • evidence:sensitivity:cn-beijing-beijing • fact factgroup:sensitivity:cn-beijing-beijing

- Guangzhou, Guangdong • astro_line • strength 0.653 • Mars-DSC, 286.9 km • evidence:acg:cn-guangdong-guangzhou:mars:dsc • fact factgroup:acg:cn-guangdong-guangzhou:mars:dsc
- Guangzhou, Guangdong • astro_line • strength 1.000 • Uranus-IC, 7.5 km • evidence:acg:cn-guangdong-guangzhou:uranus:ic • fact factgroup:acg:cn-guangdong-guangzhou:uranus:ic
- Guangzhou, Guangdong • astro_line • strength 0.019 • Neptune-IC, 594.5 km • evidence:acg:cn-guangdong-guangzhou:neptune:ic • fact factgroup:acg:cn-guangdong-guangzhou:neptune:ic
- Guangzhou, Guangdong • angular_aspect_line • strength 0.403 • Moon 120° MC, residual 3.489° • evidence:aspect:cn-guangdong-guangzhou:moon:mc:120:pos • fact factgroup:aspect:cn-guangdong-guangzhou:moon:mc:120:pos
- Guangzhou, Guangdong • angular_aspect_line • strength 0.477 • Mercury 120° ASC, residual 3.040° • evidence:aspect:cn-guangdong-guangzhou:mercury:asc:120:pos • fact factgroup:aspect:cn-guangdong-guangzhou:mercury:asc:120:pos
- Guangzhou, Guangdong • angular_aspect_line • strength 0.654 • Mars 90° MC, residual 2.584° • evidence:aspect:cn-guangdong-guangzhou:mars:mc:90:pos • fact factgroup:aspect:cn-guangdong-guangzhou:mars:mc:90:pos
- Guangzhou, Guangdong • angular_aspect_line • strength 1.000 • Uranus 90° ASC, residual 0.091° • evidence:aspect:cn-guangdong-guangzhou:uranus:asc:90:neg • fact factgroup:aspect:cn-guangdong-guangzhou:uranus:asc:90:neg
- Guangzhou, Guangdong • angular_aspect_line • strength 0.011 • Neptune 90° ASC, residual 5.457° • evidence:aspect:cn-guangdong-guangzhou:neptune:asc:90:neg • fact factgroup:aspect:cn-guangdong-guangzhou:neptune:asc:90:neg
- Guangzhou, Guangdong • paran • strength 0.935 • Moon-IC/Mercury-DSC, residual 0.237° • evidence:paran:cn-guangdong-guangzhou:moon:ic:mercury:dsc • fact factgroup:paran:cn-guangdong-guangzhou:moon:ic:mercury:dsc
- Guangzhou, Guangdong • paran • strength 0.296 • Sun-ASC/Moon-MC, residual 0.655° • evidence:paran:cn-guangdong-guangzhou:sun:asc:moon:mc • fact factgroup:paran:cn-guangdong-guangzhou:sun:asc:moon:mc
- Guangzhou, Guangdong • paran • strength 0.148 • Mars-ASC/Uranus-MC, residual 0.772° • evidence:paran:cn-guangdong-guangzhou:mars:asc:uranus:mc • fact factgroup:paran:cn-guangdong-guangzhou:mars:asc:uranus:mc
- Guangzhou, Guangdong • relocated_house • strength 0.910 • Moon, Placidus 6, Whole Sign 6 • evidence:house:cn-guangdong-guangzhou:moon • fact factgroup:house:cn-guangdong-guangzhou:moon:5-6:6-6
- Guangzhou, Guangdong • relocated_house • strength 0.932 • Mars, Placidus 7, Whole Sign 7 • evidence:house:cn-guangdong-guangzhou:mars • fact factgroup:house:cn-guangdong-guangzhou:mars:6-7:7-7
- Guangzhou, Guangdong • relocated_house • strength 1.000 • Jupiter, Placidus 10, Whole Sign 10 • evidence:house:cn-guangdong-guangzhou:jupiter • fact factgroup:house:cn-guangdong-guangzhou:jupiter:9-10:10-10
- Guangzhou, Guangdong • relocated_house • strength 1.000 • Neptune, Placidus 4, Whole Sign 4 • evidence:house:cn-guangdong-guangzhou:neptune • fact factgroup:house:cn-guangdong-guangzhou:neptune:3-4:4-4
- Guangzhou, Guangdong • natal_modifier • strength 1.000 • Sun, modifier 1.00× • evidence:natal:cn-guangdong-guangzhou:sun • fact factgroup:natal:cn-guangdong-guangzhou:sun
- Guangzhou, Guangdong • natal_modifier • strength 1.000 • Moon, modifier 1.15× • evidence:natal:cn-guangdong-guangzhou:moon • fact factgroup:natal:cn-guangdong-guangzhou:moon
- Guangzhou, Guangdong • natal_modifier • strength 1.000 • Mercury, modifier 1.03× • evidence:natal:cn-guangdong-guangzhou:mercury • fact factgroup:natal:cn-guangdong-guangzhou:mercury
- Guangzhou, Guangdong • natal_modifier • strength 1.000 • Mars, modifier 1.12× • evidence:natal:cn-guangdong-guangzhou:mars • fact factgroup:natal:cn-guangdong-guangzhou:mars
- Guangzhou, Guangdong • natal_modifier • strength 1.000 • Jupiter, modifier 1.25× • evidence:natal:cn-guangdong-guangzhou:jupiter • fact factgroup:natal:cn-guangdong-guangzhou:jupiter
- Guangzhou, Guangdong • natal_modifier • strength 1.000 • Uranus, modifier 1.12× • evidence:natal:cn-guangdong-guangzhou:uranus • fact factgroup:natal:cn-guangdong-guangzhou:uranus
- Guangzhou, Guangdong • natal_modifier • strength 1.000 • Neptune, modifier 1.25× • evidence:natal:cn-guangdong-guangzhou:neptune • fact factgroup:natal:cn-guangdong-guangzhou:neptune
- Guangzhou, Guangdong • sensitivity • strength 1.000 • ±5 min, 5 changed fact groups • evidence:sensitivity:cn-guangdong-guangzhou • fact factgroup:sensitivity:cn-guangdong-guangzhou

迁移盘与双宫制

- Hangzhou, Zhejiang • ASC 193.812° • MC 104.652° • DSC 13.812° • IC 284.652°
- Sun: Placidus 9; Whole Sign 9; longitude 83.871°

- Moon: Placidus 5; Whole Sign 6; longitude 341.752°
- Mercury: Placidus 8; Whole Sign 9; longitude 65.228°
- Venus: Placidus 8; Whole Sign 8; longitude 48.459°
- Mars: Placidus 6; Whole Sign 7; longitude 10.847°
- Jupiter: Placidus 10; Whole Sign 10; longitude 105.831°
- Saturn: Placidus 4; Whole Sign 4; longitude 294.048° R
- Uranus: Placidus 3; Whole Sign 4; longitude 278.176° R
- Neptune: Placidus 3; Whole Sign 4; longitude 283.724° R
- Pluto: Placidus 2; Whole Sign 2; longitude 225.407° R
- Chengdu, Sichuan • ASC 179.836° • MC 89.827° • DSC 359.836° • IC 269.827°
- Sun: Placidus 9; Whole Sign 10; longitude 83.871°
- Moon: Placidus 6; Whole Sign 7; longitude 341.752°
- Mercury: Placidus 9; Whole Sign 10; longitude 65.228°
- Venus: Placidus 8; Whole Sign 9; longitude 48.459°
- Mars: Placidus 7; Whole Sign 8; longitude 10.847°
- Jupiter: Placidus 10; Whole Sign 11; longitude 105.831°
- Saturn: Placidus 4; Whole Sign 5; longitude 294.048° R
- Uranus: Placidus 4; Whole Sign 5; longitude 278.176° R
- Neptune: Placidus 4; Whole Sign 5; longitude 283.724° R
- Pluto: Placidus 2; Whole Sign 3; longitude 225.407° R
- Shenzhen, Guangdong • ASC 189.057° • MC 99.017° • DSC 9.057° • IC 279.017°
- Sun: Placidus 9; Whole Sign 9; longitude 83.871°
- Moon: Placidus 6; Whole Sign 6; longitude 341.752°
- Mercury: Placidus 8; Whole Sign 9; longitude 65.228°
- Venus: Placidus 8; Whole Sign 8; longitude 48.459°
- Mars: Placidus 7; Whole Sign 7; longitude 10.847°
- Jupiter: Placidus 10; Whole Sign 10; longitude 105.831°
- Saturn: Placidus 4; Whole Sign 4; longitude 294.048° R
- Uranus: Placidus 3; Whole Sign 4; longitude 278.176° R
- Neptune: Placidus 4; Whole Sign 4; longitude 283.724° R
- Pluto: Placidus 2; Whole Sign 2; longitude 225.407° R
- Beijing, Beijing • ASC 189.707° • MC 101.166° • DSC 9.707° • IC 281.166°
- Sun: Placidus 9; Whole Sign 9; longitude 83.871°
- Moon: Placidus 5; Whole Sign 6; longitude 341.752°
- Mercury: Placidus 8; Whole Sign 9; longitude 65.228°
- Venus: Placidus 8; Whole Sign 8; longitude 48.459°
- Mars: Placidus 7; Whole Sign 7; longitude 10.847°
- Jupiter: Placidus 10; Whole Sign 10; longitude 105.831°
- Saturn: Placidus 4; Whole Sign 4; longitude 294.048° R
- Uranus: Placidus 3; Whole Sign 4; longitude 278.176° R
- Neptune: Placidus 4; Whole Sign 4; longitude 283.724° R
- Pluto: Placidus 2; Whole Sign 2; longitude 225.407° R
- Guangzhou, Guangdong • ASC 188.267° • MC 98.263° • DSC 8.267° • IC 278.263°
- Sun: Placidus 9; Whole Sign 9; longitude 83.871°
- Moon: Placidus 6; Whole Sign 6; longitude 341.752°
- Mercury: Placidus 8; Whole Sign 9; longitude 65.228°
- Venus: Placidus 8; Whole Sign 8; longitude 48.459°

- Mars: Placidus 7; Whole Sign 7; longitude 10.847°
- Jupiter: Placidus 10; Whole Sign 10; longitude 105.831°
- Saturn: Placidus 4; Whole Sign 4; longitude 294.048° R
- Uranus: Placidus 3; Whole Sign 4; longitude 278.176° R
- Neptune: Placidus 4; Whole Sign 4; longitude 283.724° R
- Pluto: Placidus 2; Whole Sign 2; longitude 225.407° R

SAMPLE